

IN THE CLAIMS:

Sub B1
1. (Amended) A navigation device for [performing] producing navigation services, and for displaying a navigation image, wherein said navigation device is divided into the following four modules:

[an] application means for performing navigation services based on information from an external unit;

[an] application control means for controlling said application means according to an internal state of said navigation device;

[a] screen control means for controlling display of the navigation image according to an instruction from said application means; and

[a] display means for displaying the navigation image according to an instruction from said screen control means.

2. (Amended) The navigation device according to Claim 1, wherein said application means is connected with [said] the external unit by way of a network.

3. (Amended) The navigation device according to Claim 1, wherein said screen control means [can transfer] transfers an instruction to said application

B1
*1
CMY

control means [by] using [either] one of an event queue [or] and a call function,
said application control means [can transfer] transfers an instruction to said
application means [by] using [either] one of an event queue [or] and a call
function, said application means [can transfer] transfers an instruction to said
screen control means [by] using an event queue, and said screen control means
[can transfer] transfers an instruction to said display means [by] using an event
queue.

4. (Amended) A generation device for generating a navigation device,
said generation device comprising:

[a] first generation means for generating [an] application control means
for controlling an application means, which [performs] provides navigation
services based on information from an external unit, according to an internal
state of said navigation device;

[a] second generation means for generating [a] screen control means for
controlling display of a navigation image according to an instruction from said
application means; and

In re Appln. of Araki et al.
Application No. Unassigned

[a] third generation means for generating screen data for [a] display
means for displaying the navigation image with the screen data according to an
instruction from said screen control means.

5. (Amended) The generation device according to Claim 4, further
comprising [a] fourth generation means for generating said application means
for performing navigation services based on information from [said] the
external unit.

IN THE ABSTRACT:

Please ~~replace~~ the existing Abstract of the Disclosure with the appended
Abstract of the Disclosure.